

1   **Development of SNP for the deep-sea fish blue ling, *Molva dypterygia* (Pennant,**  
2   **1784) from ddRAD sequencing data**

3

4   Kristin Helle<sup>1</sup>, María Quintela<sup>1</sup>, John B. Taggart<sup>2</sup>, Bjørghild Seliussen<sup>1</sup>, Geir Dahle<sup>1</sup>, Kevin A. Glover<sup>1</sup>,  
5   and Torild Johansen<sup>3</sup>

6

7   <sup>1</sup>*Institute of Marine Research (IMR), Postbox 1870, N-5817 Bergen, Norway.*

8   <sup>2</sup>*School of Natural Sciences, Institute of Aquaculture, University of Stirling, Stirling FK9 4LA, United*  
9   *Kingdom*

10   <sup>3</sup>*Institute of Marine Research (IMR), Postbox 6404, N-9019 Tromsø, Norway.*

11

12   Corresponding author: María Quintela, [maria.quintela.sanchez@hi.no](mailto:maria.quintela.sanchez@hi.no)

13

14

15   **ABSTRACT**

16   Blue ling is a deep-water species that has been severely fished upon in to coastal and offshore  
17   fisheries since the early seventies, thus causing the collapse of the populations in the last two  
18   decades. Genetic information is scarce in this species, and molecular markers are therefore  
19   needed to provide advice both for management and for rebuilding the stocks.

20   A suite of 103 SNP markers was identified from ddRADsequencing data. From those, 81 were  
21   organized in three multiplex reactions, and tested on 150 individuals from three different  
22   sampling locations. Good-quality amplification products were successfully obtained from 70 of  
23   the markers.

24   All SNP loci were biallelic, with averaged  $H_e$  per locus ranging between 0.101 and 0.500.

25

26   **Keywords:** blue ling, *Molva dypterygia*, SNP, ddRAD, management advice, stock  
27   rebuilding, fisheries depletion

28 Blue ling (*Molva dipterygia*) are distributed across the Northeast Atlantic (Large et al. 2010);  
29 inhabiting depths between 200 and 1500 m (Gordon & Hunter 1994). This species spawns in  
30 very dense aggregations throughout its entire geographic range (Magnússon et al. 1997; Large  
31 et al. 2010). Blue ling stocks in the NE Atlantic were moderately exploited until the 1960s and  
32 1970s. Subsequently, more intensive fishing across its range, mainly in the spawning grounds  
33 led to the collapse of the populations during the late 1990ies (Large et al. 2010). Different  
34 regulations were enacted to rebuild the stocks, with varying success (ICES 2018).  
35 The genetic population structure of this species has barely been investigated (Reiss et al.  
36 2009), and, hence, genetic information is needed to develop appropriate management  
37 strategies to rebuild the fishing stocks.

38

39 Genomic DNA was extracted from sixteen blue ling ethanol-preserved fin samples (eight from  
40 Faroe Islands and eight from Norwegian offshore - Eggakanten) using the Qiagen DNeasy  
41 Blood & Tissue Kit. A ddRAD library for SNP discovery was constructed following Manousaki  
42 et al. (2016) and employed a *Sbf* I - *Sph* I restriction enzyme combination. The library was  
43 sequenced as part of an Illumina MiSeq run (v2 chemistry, 160 base paired end reads). Stacks  
44 software v1.27 (Catchen et al. 2013) was used to demultiplex samples and identify / call  
45 genotypes (de novo assembly; key STACKS parameters m=6, M=2, n=1). A total of 956  
46 polymorphic RAD loci containing one or two SNPs and scored for at least 12 of the 16 samples.  
47 Initially a subset of 103 polymorphic RADtags was identified for Sequenom MassARRAY  
48 individual SNP assay (i.e., minor allele frequency > 0.1; > 35 bases available flanking DNA  
49 either side of SNP, absence of repetitive DNA close to the SNP). Three multiplex assays were  
50 successfully designed for 81 of these loci; which were then test screened on 150 individuals  
51 collected in three different sampling sites (i.e. Eggakanten, Yrkefjorden and Faroe Islands).  
52 After purging bad quality markers, a set of 70 SNPs loci were retained for further analyses.

53

54 Observed ( $H_o$ ) and expected heterozygosity ( $H_e$ ) as well as the inbreeding coefficient ( $F_{IS}$ ) were  
55 computed with GenAIEx (Peakall & Smouse 2006). The genotype distribution of each locus

56 was compared with the expected Hardy-Weinberg distribution (HWE) as was the departure  
57 from Linkage Disequilibrium (LD), using the program GENEPOP 7 (Rousset 2008). Analyses  
58 were conducted both at population level and pooling the 150 individuals.

59

60 In the pooled set of individuals, deviations from Hardy Weinberg expectations were detected  
61 at P<0.05 at two loci (Mdy\_015 and Mdy\_038) whereas loci Mdy\_021, Mdy\_027, Mdy\_041  
62 showed deviations at P<0.001 that remained significant after Bonferroni sequential correction.  
63 The individual analyses conducted on the population basis showed that 7.6% of the tests  
64 departed from HWE; percentage that dropped to half after correction for multiple tests. Loci  
65 Mdy\_021 and Mdy\_41 were out of HWE in the three sampling sites and continued to be so  
66 after Bonferroni correction. Departures from LD were detected in 5% of tests dealing with  
67 pooled data (0.1% after multiple test correction) and in 4.4% across the three populations  
68 (0.05% after correction). Observed heterozygosity per locus ( $H_o$ ) ranged between 0.107 and  
69 0.947 (**Table 1**), with averaged ( $\pm SE$ ) over all loci in the pooled set of individuals of  $0.362 \pm$   
70 0.017; whereas  $H_e$  ranged from 0.101 to 0.500, with an average of  $0.354 \pm 0.014$ . The range  
71 of the inbreeding coefficient ( $F_{IS}$ ) per locus was -0.896 to 0.152, with an average of  $-0.018 \pm$   
72 0.018. Locus Mdy\_41, showing  $H_o=0.947$ , was heterozygote CT for 94.7% of the individuals.

73

74 **ACKNOWLEDGEMENTS**

75 Many thanks to Arve Egil Hersdal, who collected samples from Yrkefjorden, to Captain Even  
76 Hauge and his crew of the ship "Hauge Junior" / "Bjørnhaug" who took the samples along the  
77 Eggakanten and to Dr. Lise Helen Ofstad for collecting samples around the Faroe Islands. We  
78 also thank the Directorate of Fisheries and the Norwegian Fishermen's Association for  
79 financing this project.

80

81 **CONFLICTS OF INTEREST**

82 The authors declare that they do not have conflicts of interests.

83

84 **BIBLIOGRAPHY**

- 85 Catchen J, Hohenlohe PA, Bassham S, Amores A, Cresko WA (2013) Stacks: an analysis tool  
86 set for population genomics. *Molecular ecology*, 22, 3124-3140.
- 87 Gordon JDM, Hunter JE (1994) Study of deep-water fish stocks to the west of Scotland.  
88 Unpublished report held at Dunstaffnage Marine Laboratory, Oban, Scotland.
- 89 ICES (2018) Blue Ling (*Molva dypterygia*) in the Northeast Atlantic. Report on the Working  
90 Group on the Biology and Assessment of Deep-sea Fisheries Resources. In: *ICES WGDEEP*  
91 *REPORT 2018*, p. 773. ICES, Denmark.
- 92 Large PA, Díez G, Drewery J, Laurans M, Pilling G, Reid D, Reinert J, B. South A, I.  
93 Vinnichenko V (2010) Spatial and temporal distribution of spawning aggregations of blue  
94 ling (*Molva dypterygia*) west and northwest of the British Isles.
- 95 Magnússon JV, Bergstad OA, Hareide NR, Magnússon J, Reinert J (1997) Ling, Blue Ling  
96 and Tusk of the Northeast Atlantic. In: *Nordic project report*, p. 58.
- 97 Manousaki T, Tsakogiannis A, Taggart JB, Palaiokostas C, Tsaparis D, Lagnel J, Chatzilis  
98 D, Magoulas A, Papandroulakis N, Mylonas CC, Tsigenopoulos CS (2016) Exploring a  
99 nonmodel teleost genome through RAD Sequencing—Linkage mapping in common pandora,  
100 *Pagellus erythrinus*, and comparative genomic analysis. *G3: Genes|Genomes|Genetics*, 6,  
101 509.
- 102 Peakall R, Smouse PE (2006) GenAIEx 6: genetic analysis in Excel. Population genetic  
103 software for teaching and research. *Molecular Ecology Notes*, 6, 288-295.
- 104 Reiss H, Hoarau G, Dickey-Collas M, Wolff WJ (2009) Genetic population structure of  
105 marine fish: mismatch between biological and fisheries management units. *Fish and Fisheries*,  
106 10, 361-395.
- 107 Rousset F (2008) GENEPOP'007: a complete re-implementation of the genepop software for  
108 Windows and Linux. *Molecular Ecology Resources*, 8, 103-106.
- 109

**Table 1.-** Summary table for the 70 SNP markers distributed in three multiplex reactions. Sequence and [SNP], number de individuals tested (N), minor allele frequency (MAF); observed ( $H_o$ ) and expected ( $H_e$ ) heterozygosity; inbreeding coefficient ( $F_{IS}$ ); and probability for Hardy-Weinberg equilibrium tests (ns = non-significant, \* $P<0.05$ , \*\* $P<0.01$ , \*\*\* $P<0.001$ ).

M	SNP_ID	Sequence	Alleles	N	MAF	$H_o$	$H_e$	$F_{IS}$	HWE <sup>a</sup>
M1	Mdy_001	CATGCAGTCAGGACACAGCAATGAAAGATGCTCTTCAAATCGGAATTGCAAAGCTGTTGACATGATTATGGTGTAGCTGTATTGACCATA[C/T]CATAACAGCATGTTAAATCATGAGGTGACCRCTCATT	C/T	150	0.403	0.540	0.481	-0.122	ns
M1	Mdy_009	CATGCTGAGCAGGGGAGAAGGTCAAGGTGGACCTGCACCCCTCAGTGGCTGACCCGGAAAGAGAGCTCTGGTACATGGCCATGGCAGCGTCC[C/T]GGGGCACACGCCATGCGTCCACGAGAACCCCCC	C/T	150	0.460	0.453	0.497	0.087	ns
M1	Mdy_015	TGCAGGGGTCGTTCTCAGGTCAAAGGTCAAGGTGAT[A/G]TCCATGCGGGGGCATGATCATATAGGAGCACTCCAGATTGTTGGGGACTTGTCCGGAAACCCGGGAATGATCACCCG	A/G	150	0.410	0.580	0.484	-0.199	*
M1	Mdy_020	CATGCACAGCACAACGTGAGGTAACATTGATGTAGAGAACACATTGAAATAGAT[G/T]AGACAGGAGGTTATGATAGTTATTCTAATACAAAGTGGCTGACTAAAACCAACCTGTAACCACCTTATT	G/T	150	0.487	0.480	0.500	0.039	ns
M1	Mdy_023	CATGCTGAAGTAGGATCGAGTCATCACGTTACATAAGAAGGCTGATTAGTCTAACATAGAC[A/C]ATATACCTGCTTCCATTACATGGATTGGCTTACCGAAGAACCTCATATGTGAATCACATATA	A/C	150	0.253	0.400	0.378	-0.057	ns
M1	Mdy_025	TGCAGGAGAACCTCGAGGAGCACAAGAAGCGAGGCCGCTGACGGACAGCGAGGTGAGGGAGAGCTGCGAACCTCCCTCTG[C/T]GGAGGAGGGTCCATGTTCTCTKCCCTCCCCGTGAAGGAT	C/T	150	0.220	0.293	0.343	0.145	ns
M1	Mdy_027	TGCAGGTGGAGGGCTGAGGGGGCTGCGTCAACGGCACAC[A/G]GTGTTGTTGAATGAGGGAGGGGGCTGGCAGCCAGGCACAGCCTACTCTGCGTAAACCGCAGTACGCCGAAACTATGTGTTG	A/G	150	0.433	0.627	0.491	-0.276	***
M1	Mdy_029	TGCAGGTTCACTGCGGCCATTGGCTGTTGAAACCCAGATTCTT[C/G]GGCTGGGAGGGCAGAACACCTCGAAACTAGACTATACTGACTGTTGCTGATCCAGGTTGAGTCTCCATCTACCATGACGTGAA	C/G	150	0.383	0.487	0.473	-0.029	ns
M1	Mdy_031	TGCAGGACGAGCAGCCGACGGTTACACCGCAGTTACCGGTTACGCTCATTAGC[C/G]TTTACATGGTACCCAAGGTTACCGAGTCACTGTCAGTTAAGTGCTGTTCTCATTACACCTTACATAGAACCA	C/G	150	0.177	0.287	0.291	0.015	ns
M1	Mdy_032	CATGCAGATTCTGGAGTCTCAACACTAATTGCAACATTGACAGACAGCGCAGTGTACTGTCAAATGCCG[A/C]CCAATTACAGAGGTTCTCTTTGTAATCTCAATAGAATGCCCTAAAGCATT	A/C	150	0.413	0.507	0.485	-0.045	ns
M1	Mdy_034	TGCAGGAGAGCTTGTGCTTCCATTAGGCTTAGGTTGAGGGGTCGCTGAGAACGACTAACCGAGACATAAGATC[A/G]TCGTTTTGTTCTCGTGGTACACCTTAAGTAGAGGTTGGGTGATACCA	A/G	150	0.283	0.407	0.406	-0.001	ns
M1	Mdy_035	CATGCTTGTGCGGGTACATGATGAAGTCAAACACTGTCTGAATGTGATATGTGTTGCTGATGGCGTCA[C/T]GTAATTAAAGCTAGAGTAGGCAATTATTAGAAGAATTCTTGTCTATA	C/T	150	0.337	0.447	0.447	0.000	ns
M1	Mdy_045	CATGCAGCCATACATGCCACCTATTCTCTGAAAGGCGTCCGCTTTATTGTTGATTGTCGAACTATTGTAAGGCTTA[A/C]CTGGGGCGTTGATTGCTTCTCAATATCAGTCAGTGCATGAA	A/C	150	0.403	0.513	0.481	-0.067	ns
M1	Mdy_050	CATGCTAACACTGTTACAGCAGACAGAGGGAGAGATGCTGGTTCTAGTGATAATGTCAGTCTGATAAT[A/G]TTACATAGGCATTCTTGTGTTGGTTCTAGGCTTCTGTAAGAAAGAAAGTTA	A/G	150	0.247	0.360	0.372	0.031	ns
M1	Mdy_056	TGCAGGGGCTCAGGCCCTCAGCACGATCGCTCCCCCTAGGAGATGCGCTCAACAGTGGTGCCTGGGTTCTGCGAAATAAAA[C/T]GAAATACGACGAGCAGATTGGCAGGTTAGGGGGGTAGTTGCGTCAAGAT	C/T	150	0.300	0.400	0.420	0.048	ns
M1	Mdy_067	CATGCTGAACCTAAAGGGTAATTGCTCAAATTGCCATGAGATTGCACTTC[A/G]CTTAGTGCTCTGTTACGTAAGGAAAAAGAAGAAAAGACTGATGGTCTATCGGACCCAGAAAGCAATTAGATTGA	A/G	150	0.097	0.180	0.175	-0.031	ns
M1	Mdy_068	TGCAGGTTGCCGCCGGAAACACCCCCAACACCAATCAGGACAAGGGCAGGGCGAGTAGCCCGTGAATACAAGA[C/T]ATCCAGAGGGCCGATCCCTGACAAGTTACACTGTAAGAAAGAGTGCCTATATG	C/T	150	0.127	0.213	0.221	0.036	ns
M1	Mdy_070	TGCAGGCCCTCCCCCTCATCCACCTGCCCTCTCCAGGAGCATCAGGCTCCGCTGGCTGGCCAGTGTGATCTGTCAGGTA[C/T]CTCTCTCATAGCCTGCTCTGGCTAACACGGAGGTTAGGGCTAGCT	C/T	150	0.177	0.247	0.291	0.152	ns
M1	Mdy_078	TGCAGGTGCTTACCTGGTAATTTCCTAGCAGTAAACATATTAGTCTGGAGGCCCTGTCAGGCTGCTCCCTGCTCAGTAAACACTTCCAG[C/T]CATATCAGAATGTYAACCTGGCACAGACAGGG	C/T	150	0.077	0.140	0.142	0.011	ns
M1	Mdy_080	TGCAGGATATTCTATGCTAACACTGTCAGTATGGCAATGAAGGAGGGCTCAGCATTAGCCAGAACACTGAAC[A/G]TGCTGTTGGAATGTTGGACCATGGACGTTTACTTGTACTTAAAGGGCTAGT	A/G	150	0.133	0.213	0.231	0.077	ns
M1	Mdy_085	TGCAGGAAAGGGCAGCGGTGGATCCGGCTCTGGGGTGACCGGGAGTCTCAGCTGGTGCAGCGAGGAGCTCCCTAGCCGGACAGTGCACC[A/G]TGTTGGAGCGGTAAGGCAGGAAGGCCGGTAACATTCTC	A/G	150	0.187	0.307	0.304	-0.010	ns
M1	Mdy_086	CATGCACGATGTGACACTCCACTGCAGGCTTACCTTGAGTTGAATTGGATTCTCCACAGACTAGTTATGTT[C/A]GAAAGAAATCATTGGCTGATGGTTTACYCTTACACTTGACCATCCC	A/C	149	0.117	0.221	0.207	-0.068	ns
M1	Mdy_088	CATGCACCTGAGGGCAGCYTATTGGTTATGCATTGGCAATGAACCGAACACCATGC[G/T]TAGTCAGCGTTGACTTAGTCATAACAGACTTCTTATTAGGAAACAGTATTAACTCCAAAAC	G/T	150	0.090	0.180	0.164	-0.099	ns
M1	Mdy_096	TGCAGGCAGACCGCGTACACTGGCGTCGAAACCCAGTACCTTGGCTGGAGTCAAACACCTATAGCCACTGCACTAACACT[A/G]CACTGCTGGTTACCTTACTATATTCTTAGAAAACAAATGCTG	A/G	150	0.053	0.107	0.101	-0.056	ns
M1	Mdy_098	CATGCTCTTGCTTAAGAGAACCCCTTCTCTCACTGTTGTAAGATACG[C/T]GTTTGCTGAAAGTGGTCGAAAGCCCTTCAAAGGACTTTAGGCTGAGACWATAGTGGCCAACTAA	C/T	150	0.187	0.280	0.304	0.078	ns
M2	Mdy_002	TGCAGGTAGACGTCGGCACGCTGGCCAGGTCCATGTCAGGCCCTGCAGCCGCCACGGCTCAA[A/C]CCACGTCAAGGTCAGGTCAGCAGTGCACCGTGTATTGTAAGTGGAGGAGCTCGTGGAGCC	A/C	150	0.393	0.480	0.477	-0.006	ns
M2	Mdy_012	TGCAGGACCAGGTCAACTTGAATTATACCTCTGCACTGAGCCGCCAGTACTAGTAGGTACATCATTGGCTC[A/C]TCGGTCTGTCAGTATTCTCCGCTTCAGTGTATTCTGAGCTCRTCTGCAAATTGTT	A/C	150	0.350	0.447	0.455	0.018	ns
M2	Mdy_019	CATGCAGCCCGAGCACAGTCAGGGTGGAGACTGGATCCCTCAGCTGGGGAACTCTCTCTGAGGTAGGCAGCCACAGCCTGGAGAGACGAACGCTC[A/G]TGAAACAGCTCTACCTCGTGTAAATAGAGAGAGAAAT	A/G	150	0.330	0.393	0.442	0.111	ns
M2	Mdy_026	TGCAGGATGGTCGCGACAGCAGAACAGAGAGGAAGAACAGGGTCCCTCAGCACGATGCCACGGAGAGAACATCAGCAG[C/T]GCCAGCAGTCGCATAACGCCATGGGATGGCTCGAGCTGAAGAAGGTGC	C/T	150	0.423	0.447	0.488	0.085	ns
M2	Mdy_028	TGCAGGCAGGTCTGTTGAACAGGTCCCGGTTAGTTGAATAAACG[C/A]TTACTGATGTTGTCACATGACATTCTGCTTGGCACAAGGACAGCGCCCTGAGTGCAGGAGCTGTGTC	A/T	149	0.460	0.477	0.497	0.041	ns
M2	Mdy_030	TGCAGGATGAGGAGATGCTGGATTCCAGTTGGACTGGCGGCCCTTACGCTTCTGTCAGGGGATATGTCATCCATCTC[A/C]CCCTGCGTGGCACCCCTCAATGTCGGCGTACACAGGCTGGGGTGTGGAG	A/C	150	0.467	0.453	0.498	0.089	ns
M2	Mdy_037	TGCAGGATGTTGCTTCACATTGAGGAATTAGTTCATTTGTCAGTTGGGAAACAAATGACTGAATTACACAAGAA[C/T]GAAATAATGACCAAATAATGATACAGTGGACTTCTT	C/T	150	0.297	0.367	0.417	0.121	ns
M2	Mdy_042	TGCAGGTTAAAACATTGTCAGCGAAACATGACCATGGTAATAATTGGTCATGACTGATCTGAT[G/T]AGGAATGCCTTGAGAGTCAGAACACATGCTAGCGATGTAT	C/T	150	0.243	0.367	0.368	0.004	ns
M2	Mdy_046	CATGCTCAGCAGGATGCTATTATCTGCATCAAAATATATGATTCAAATTACGGCAGTCGGATTCTTGGATAAAACCATCA[G/T]TGCTAAAATGACAMGTGCCTACATGTCAAATGGGAT	G/T	150	0.317	0.420	0.433	0.030	ns

M2	Mdy_048	TGCAGGGTTAACCATCGTCACAGAAGTGTGATTATTCATT[C/T]GCTTAATCCCACATGAAGAATGGAGCCTGATTAATGAACGTAAGGATATTGATTCCGTGTCATTGGAAAATCTATTACATTAA	C/T	150	0.447	0.467	0.494	0.056	ns
M2	Mdy_049	TGCAGGGCCTGTGTCACCGCTAACATTCAAGGGGGGCCAGCAGGGACTGCTCCTCTACCTCCCTGGCTGCCCTC[C/T]GACAGGGACCCCCCTCCCTGAGCGCAGGTGAGTAGGAGCGGCACATGC	C/T	150	0.277	0.340	0.400	0.151	ns
M2	Mdy_051	TGCAGGGTAAGAAAATAATGACCTTCAGCCCAAAGCAGATTCCCCGGTAGATTATCTACTCTGATATT[C/G]TTTTTTGTGACTAAAGTGACATGGGTTTCTTCCGGTGCAGCTGTCATGCAACACG	C/G	150	0.113	0.213	0.201	-0.061	ns
M2	Mdy_054	TGCAGGTATCGACCCCTAATGTGCTCAGACTGGAGCTTGAGATCTGTTGACACAATAAGAGTCGACCGAGGTGAGTCAGAATGACGCAGA[G/T]GGTCAATCATGTCAGATGTGTTGATTCTCATCCTGCATCAA	G/T	150	0.190	0.287	0.308	0.069	ns
M2	Mdy_059	TGCAGGACTCCTGCACCAAGCTGCAGACGCTCACACCCAGCTACAGGTGAGGCCACCGCTGTTACACAAAGCTGCGGT[A/T]ACTGAAGAGTGTATGCGTGGTGAACAGCTAGCACGTAGCTATTACTG	A/T	150	0.250	0.367	0.375	0.022	ns
M2	Mdy_063	TGCAGGAAGGCCACCTCCCTCAGACTCTTGGGAGTTAGCAGATTAGACCGAGAGCGTGCATGACATCTGCA[A/G]TCAAAACCTAGATCTACGAGGCCCTAATGCATGTTAAACATTACTTTATGTGA	A/G	150	0.240	0.400	0.365	-0.096	ns
M2	Mdy_064	CATGCTTAAATGCTCCGAGCATTTAATTCGATACTTGCAGGACCTGGCACACACACTAAT[G/T]CCATGAAATCACCGTACATCCAAGCGATTGAATTAAAGATTACGGCAACAGTCAGTGGTTTGT	G/T	150	0.127	0.240	0.221	-0.085	ns
M2	Mdy_073	CATGCTTAAATGATGCTTATACTGCATATGCACACAGTACCGTACATAATACATATGTTGATACAGACACATG[A/C]AGTTGGAGTGTGAGAGCAGAGCTGGGCCAGGACACAGTAAGTGGTCAGAGTC	A/C	150	0.170	0.247	0.282	0.126	ns
M2	Mdy_074	TGCAGGTAGGTACGCTCATGGGTGAAAGGCCACAGCACCAGTGAACCTCAGCTACACGGG[C/T]GTCCTGAGACCCGTTGCTTACTTGGACAGTCGTTGAAAGAACTAGAGTAAAGGAACGTGTTGG	C/T	150	0.143	0.260	0.246	-0.059	ns
M2	Mdy_077	CATGCCCTGAAACCCCCAAAAACCCAGGTAAATTAGGCTT[C/T]GATGTTTATTGATTCAACCCAAATGTGACGAGGGCCAACAGCATCATTGTCCTRTCTGTAACGACCTCTAATGAACCCACGCC	C/T	150	0.263	0.353	0.388	0.089	ns
M2	Mdy_087	CATGCCCTGATATGTAATTAGGTACATTTAGTTACTTCACTGGCATATTACTCAGTCCCTTAAGGTGGTTCTTAGGAAAGC[A/G]CCACTGTAGTGTAAAGAACGTTCTGCTTCCACAGCTAGAA	A/G	150	0.113	0.227	0.201	-0.128	ns
M2	Mdy_094	CATGCAGAGTCAGCTAGAAATACAATACATGCCACAGATGATTGCA[C/T]GCCAGAGTGTCTTATGATGGACAATTAGCAAGGTTGAGGAAGTTAGTTWAAAAAAAAGGTTATAACATCCATGT	C/T	150	0.743	0.353	0.382	0.074	ns
M2	Mdy_099	CATGCAGCACACGTGAAGGAGCACGTTGCACTGCAGGCCAAATTGATTGAAACACTCAAATGATAGATTGGATGGAATTGGTCAAGGTGGGA	A/C	150	0.127	0.213	0.221	0.036	ns
M2	Mdy_101	TGCAGGAGCCCTTGCACCGGTCACTCTGGCTAACCAAGGGCCGGAGAAACAGAACGGTCTACTTCAACCGGC[A/G]TGGAATTACACTCACATCAACCAACATTAAMATAGAGAAGAACCCAAACCAATT	A/G	150	0.253	0.333	0.378	0.119	ns
M3	Mdy_004	TGCAGGAATGTATTGTTGGATGATCATGTTGCCAAAAGGACACACCAAGAGATGTGCGCCC[C/T]GCAACCATACTAAACCTAAATTAAATGCCAACGCTGTTCAATTAGCGGTCGT	C/T	150	0.380	0.467	0.471	0.010	ns
M3	Mdy_006	TGCAGGGGACCCATCCAATCACTCCAGTCCACAGGTTAGCTCCCAAACAGCCGTGTTCTGGAAAG[A/C]AACACAAACATTACWTGATGCATAACATGGGTTGGACACAAAGAGACTAGTGGCAC	A/C	150	0.483	0.553	0.499	-0.108	ns
M3	Mdy_010	TGCAGGTCAAATGTTGCTCTATAAAAATKGGTGTGATGTGTTGCTTCAAGGTCTGTTT[A/G]ATTGTTCCAAAACACTACTTAGGAAGTTAACCGCATTATTACGAGTTGGTCGTATTATG	A/G	150	0.477	0.447	0.499	0.105	ns
M3	Mdy_018	TGCAGGCTACCCGTAGGCATTCTGAGTAAGATGTCACACCTAGATGACC[A/G]TGGCACATCTCAAATTCTGGTACGCCCTAAAGAACATGTTCAACTCATTACTTGTGTTGGCTTAGGTGT	A/G	150	0.433	0.520	0.491	-0.059	ns
M3	Mdy_021	CATGCTGTAATTACAGTATTGTTGAAAGGTCTGTTATTGATTGTTGGTGAAGGG[C/T]TCATTAAMTTTGTATTAAATAGTGTATGTTAAACTAAATAGGATGTTGCTCTGCTGTTGAA	C/T	149	0.322	0.644	0.437	-0.475	***
M3	Mdy_024	TGCAGGCCTGTGACCTAAATGAAACAAAATAATCTCCAGTCCAGGAGATTGTCRGGTCTGTTGATGATAGATGTTCTGTTGATATT[A/G]GTGATGATGACCCATGTTGACATTGTCACAAATT	A/G	150	0.207	0.307	0.328	0.065	ns
M3	Mdy_038	TGCAGGCTGTGGATCCCTGGGGTCAAACGCCTCTCTCACAGACC[C/T]GCCGTGAGTCAGCGCCGAGGCCAGATGAAAGTCTGAAGTGGCGGTGGCATCTGTTGATTTGAAAGGTT	C/T	150	0.480	0.587	0.499	-0.175	*
M3	Mdy_039	TGCAGGGGAATCACTGCTGACTGAGAGAGATAGGAAGTCCAGGAGATGG[C/G]GGAGAGGGAAAAGACAGGAGAGGGTGAATTAGACGTTAACAGTGGCCGGGGAGATATGGTTAACAAATTATA	C/G	150	0.307	0.440	0.425	-0.035	ns
M3	Mdy_041	TGCAGGGACACAGCAGAGACCTTATGCTCTGAAAGGGCACTGCAGACGTGCGG[C/T]GTTGAGTTAAAGGTGCACTGTAACGTTGACCGAGGGTTCAATCGGCTCTGCAGACGTGCGGTGTTGAGTTAAA	C/T	150	0.480	0.947	0.499	-0.896	***
M3	Mdy_047	CATGCTAAACGTCTTCATGGCTGTGTTGTCAAATGGGGTTATGTTGGCCATGTC[A/T]ATCTCTTAAACATATCTGTTGCTGAGCTGGACTCCCTGATATGTCATGCGCGCT	A/T	150	0.433	0.480	0.491	0.023	ns
M3	Mdy_052	TGCAGGTAGGATATTAGAGCTGGTAATCTGTAAGTCTTCAATAGGAAGGGGGTTGTTGGATATGTTGAGATAAGAGG[G/A/G]ACGAATGTTACTGCCAACATCAGACGCC	A/G	150	0.210	0.327	0.332	0.015	ns
M3	Mdy_058	TGCAGGTGGGTTGGGTACGTTGGTGGGGTGGAGGGTGTGAGGAACACTT[A/G]GGCAGTGCATTCTTAATCTGGAGAAATAAGAGTGTAAATTACTTTAAAGCTTGCAC	A/G	150	0.137	0.233	0.236	0.011	ns
M3	Mdy_060	TGCAGGTAAGATAACAGGTCGACCATTAAGGCAAAATAATTGTTGTCATGAAATTACACATTCTCAGTATT[C/T]CTTGTTCATTGGTACCATAGATCTTACTGTCACAAACTCTATCACGCCAT	C/T	150	0.127	0.213	0.221	0.036	ns
M3	Mdy_061	TGCAGGTACTCACACTATGGTTAGCACTGCGCTAGCGCTAACGTCATGGTTAACCGACTGTT[C/T]GTGAGTTGTTGATGTTCCGTGTTGATGTTGATCTCCYATACAAAGACATACA	C/T	150	0.207	0.293	0.328	0.105	ns
M3	Mdy_069	CATGCTTAAACAAACATATTCCCCCTCTGATTGAAACCAAGTCAACGCCCTACACAAACCAACTCAATGGCGAAACCATGACCGCGTAG[A/G]GGGGGGGGRRGAAACAGGAAACCCGCCGCTGAAC	A/G	150	0.183	0.287	0.299	0.043	ns
M3	Mdy_071	TGCAGGTCCGTCACTGGCCCCCACTGGATTTAACCTCTAACGGACTAACCGCGTA[C/T]GAGCCGGTTTATTGCGGGTAATACCCACCGCGTTAATGGCAGGTGACCTTCACG	C/T	150	0.100	0.200	0.180	-0.111	ns
M3	Mdy_075	TGCAGGTTAAAGACCGCATTCTAAAGATAATTGTTGACCTCTGAGTACAGAGATAAAAGATGAAAG[G/T]ATCACCATCTACCCAACAAGAAAAATCCCAAATGTTAACCGAATTACGGTCAAATCTCA	G/T	150	0.130	0.247	0.226	-0.090	ns
M3	Mdy_081	CATGCAAGCTCTTCTCTGTCAGTGCAGTCTGGTGGCATGGAAATGGACATGCCCTGGGGTAGTACACAGCAGCATTGAGAAAG[A/G]GAACAGCAGAACATCAAATGAAATGTTACTTGCACCT	A/T	149	0.114	0.228	0.202	-0.129	ns
M3	Mdy_083	CATGCAAGCAGATAGAAAGTAGAACAAAAGAGTCTGTTACTGCTTTAGTTGAGAGACT[C/G]GTGGATGATGATTCTAACATGCTAACACAAAGAGACGTTGCTCCCCCACAATCTTAAAC	C/G	150	0.107	0.187	0.191	0.021	ns
M3	Mdy_084	TGCAGGGTACCGCCCTCCGGACCCCTGACACCTCAATCATTCTAACGGACTAACCGCGTA[C/T]GTATGCCATTGCTCAGAAAGGCCCTCCAGGTTGCTGGACGCTGAGAACGGCTGCGTATTGCTRCGG	C/T	150	0.100	0.187	0.180	-0.037	ns
M3	Mdy_089	CATGCTGCGATGTTACGCAACGACACACGGCGTGAATCAGCAGCCAC[C/T]GCCAGACGTTAGGGAGCTAGCGGACACAAACATGGTCAATGTCACACACTAGGGTCCAAAAAAACGAAATGAGGT	C/T	150	0.170	0.300	0.282	-0.063	ns
M3	Mdy_092	CATGCTTAAACAAACATATTCCCCCTCTGATTGAAACACAGCAACTGAAAGAC[A/C]RCTGCAAGTAAAGCCTGGCAAGCATCACAAAGAGGAGAACCGAGCATTGGTATGTCATGGGT	A/C	150	0.120	0.200	0.211	0.053	ns