



Advancing perioperative care with digital applications and wearables

Ben Li, Arjun Mahajan & Dylan Powell



The rapid increase in real-time health information collected from wearable devices has allowed digital biomarkers to emerge as a promising tool to support perioperative care, including surgical prehabilitation, intra-operative guidance, and post-operative monitoring. Important challenges include the accuracy of generated information, data security risks, and slow adoption of new technologies. Active stakeholder engagement and following existing digital biomarker development/implementation frameworks may support using this technology to improve surgical outcomes.

Digital biomarkers are quantifiable measures collected from digital health technologies that may act as indicators of biological processes¹. The rapid increase in real-time health information collected from wearable devices has allowed digital biomarkers to emerge as a promising tool to support the diagnosis, monitoring, and treatment of various health conditions¹. While digital biomarkers have broad applications in health care, their utilization in perioperative medicine represents an emerging area of study, practice development, and implementation science¹. A discussion of the potential applications of digital biomarkers in perioperative care may be informative to surgeons, anesthesiologists, and other clinicians involved in caring for patients undergoing surgery. This is particularly relevant given multiple recent publications on digital biomarkers in perioperative care^{2–4}. In this article, we discuss the potential role of digital biomarkers in the pre-operative, in-hospital, and post-operative phases of care to improve patient outcomes (Fig. 1).

Pre-operative care

A critical aspect of pre-operative care involves optimizing patients for surgery. Digital biomarkers can play an important role in prehabilitation, defined as interventions undertaken before surgery to reduce peri-operative risk⁵. Prehabilitation aims to improve patients' functional capacity, nutritional status, and psychological readiness for surgery through exercise, dietary, and psychological support⁶. Digital biomarkers may support at-home prehabilitation programs, whereby patients can use wearable technologies to track their physical, nutritional, and mental health⁷. For example, Waller and colleagues (2022) showed that using wearable technologies during prehabilitation increased patients' physical activity, walking distance, and functional status⁸. Notably, multiple mobile applications have been developed to support surgical prehabilitation^{9–12}. Another central aspect of pre-operative care involves managing symptom burden¹³. At clinic visits, it may be challenging to completely appreciate the impact of illness on patients' lives¹⁴. An example of

the utility of digital biomarkers in pre-operative care is illustrated by Low and colleagues (2021), who showed that digital biomarker data captured through smartphones and smartwatches at home could be used to track patient-reported symptom burden based on activity patterns, sleep, screen time, pain, and fatigue in individuals scheduled for pancreatic surgery¹⁵. This may help patients and providers detect worsening perioperative symptoms and trigger timely symptom management interventions¹⁵.

In-hospital care

While in hospital, clinicians are often responsible for caring for patients with different acuity levels¹⁶. Digital biomarker systems using artificial intelligence may rapidly synthesize health indicators in real time, notifying providers promptly when patients show early signs of decompensation¹⁷. For example, the CHARTWatch system continuously monitors over 100 clinical variables for hospitalized patients and predicts their risk of requiring intensive care unit care or deterioration within the next 48 hours. It provides a warning notification to the medical team for these high-risk patients so they can receive appropriate care¹⁸. Preliminary data demonstrated that the algorithm predicted patient outcomes >15% more accurately than clinicians, resulting in a ~15% reduction in mortality among high-risk patients¹⁸. This may be particularly helpful in surgery due to the high proportion of patients who could rapidly deteriorate given their medical complexity and often high-risk procedures¹⁹. Digital biomarker information may also be helpful for clinicians intra-operatively by measuring their stress levels. For example, Dias and colleagues (2023) used digital biomarker data from wearable sensors for heart rate variability that accurately captured acute stress levels in perfusionists operating the heart-lung machine during cardiac surgery⁴. Given that extremely high stress levels can lead to major intraoperative complications, a timely alert regarding a clinician's level of stress can prompt the operative team to consider slowing down, re-evaluating the situation, and ensuring that safe surgery is provided²⁰.

Post-operative care

After surgery, patients generally stay in hospital for several days or weeks until clinicians deem them to be fit to go home. However, most post-operative recovery occurs at home, particularly after major operations. During this transition, patients can often abruptly go from having every heartbeat monitored to minimal vital sign tracking. As a result, a significant proportion of patients are at risk of postoperative complications after they are discharged²¹. Digital biomarker systems informed by wearable technologies can allow patients and their providers to track important vital signs at home²². When there are signs of decompensation, an alert may be sent to the provider and/or patient to ensure that the patient seeks appropriate care²². Additionally, the study of patient-reported outcomes has become a priority in surgery²³. One significant challenge is the current inability to capture longitudinal patient-reported information reliably²³. Wearable technologies and digital biomarkers can allow patients to track their recovery process at home effectively and report outcomes most relevant to their well-being in a feasible and cost-effective manner²³. For example, Kolk

Fig. 1 | Potential applications of digital biomarkers in perioperative care.





Fig. 2 | 'Trailer versus the Movie': An example of how digital biomarkers can improve a cancer patient's perioperative care journey.

and colleagues (2023) showed that digital biomarker information obtained from wearable devices strongly correlated with patient-reported outcome measures in patients with implantable cardioverter defibrillators²⁴. An example of how digital biomarkers may be used to better capture longitudinal patient-related information that can improve a clinician's understanding of their patients and guide treatment plans is illustrated in Fig. 2.

Challenges

While digital biomarkers have important potential to improve perioperative care, several challenges must be considered. First, wearable products and digital technologies may generate inaccurate data. This is particularly concerning if these errors exacerbate structural health inequalities. For example, Sjöding and colleagues (2020) demonstrated that pulse oximeters had increased error rates in patients with different skin pigmentation²⁵. Therefore, digital biomarkers must be validated on diverse and representative datasets before implementation. Second, digital biomarker data in health care should be confidential and shared only with the patient's permission. Given the known potential for cyber threats to compromise the security of personal health information, data privacy must be a central consideration when designing digital biomarker systems²⁶. Third, medicine can be slow to adopt new technologies, given their potential to have unintended negative consequences²⁷. Therefore, co-development involving patients, clinicians, and healthcare administrators in designing and implementing digital biomarkers is critical. Conscientious stakeholder engagement will build trust, demonstrate transparency, and ultimately facilitate safe uptake of this technology.

Conclusions and next steps

Digital biomarkers derived from increasingly available wearable and digital technologies have the potential to augment and improve pre-operative, in-hospital, and post-operative care. This tool may support prehabilitation, track symptom burden, identify early signs of clinical deterioration, and capture patient-reported outcomes, among other applications. Although challenges of data accuracy, patient privacy, and slow uptake of new technologies in health care exist, active stakeholder engagement and collaboration may allow for the development of effective digital biomarkers that can improve surgical outcomes. By following existing frameworks such as the one developed by Daniore and colleagues²⁸, considering issues of data collection, aggregation, contextualization, interpretation, and action, wearable sensor data can be effectively translated to digital biomarkers that can transform perioperative care.

Data availability

No datasets were generated or analysed during the current study.

Ben Li^{1,2}, Arjun Mahajan³ & Dylan Powell⁴✉

¹Division of Vascular Surgery, University of Toronto, Toronto, ON, Canada.

²Temerty Centre for Artificial Intelligence Research and Education in

Medicine, University of Toronto, Toronto, ON, Canada. ³Harvard Medical

School, Boston, MA, USA. ⁴Faculty of Health Sciences & Sport, University of Stirling, Stirling, UK. ✉e-mail: dylan.powell@stir.ac.uk

Received: 26 January 2025; Accepted: 8 April 2025;

Published online: 19 April 2025

References

- Powell, D. Walk, talk, think, see and feel: harnessing the power of digital biomarkers in healthcare. *NPJ Digit. Med.* **7**, 45 (2024).
- Lapp, L., Roper, M., Kavanagh, K. & Schraag, S. Development and validation of a digital biomarker predicting acute kidney injury following cardiac surgery on an hourly basis. *JTCVS Open* **16**, 540–581 (2023).

- Bi, C. L. et al. Digital biomarkers and the evolution of spine care outcomes measures: Smartphones and wearables. *Neurosurgery* **93**, 745–754 (2023).
- Dias, R. D. et al. Using digital biomarkers for objective assessment of perfusionists' workload and acute stress during cardiac surgery. *Bioinform. Biomed. Eng.* **13919**, 443–454 (2023). *10th Int. Work-Conf. IWBBIO 2023 Meloneras Gran Canaria, Spain July 12–14 2023 Proc. Part IWBBIO Conf. 10th 2023 Gran Canaria, Canary Isl.*
- Chmelo, J., Chmeloová, I. & Phillips, A. W. Prehabilitation, improving postoperative outcomes. *Rozhl. Chir.* **100**, 421–428 (2021).
- Coca-Martinez, M. & Carli, F. Prehabilitation: Who can benefit? *Eur. J. Surg. Oncol.* **50**, 106979 (2024).
- Blumenau Pedersen, M., Saxton, J., Birch, S., Rasmussen Villumsen, B. & Bjerggaard Jensen, J. The use of digital technologies to support home-based prehabilitation prior to major surgery: A systematic review. *Surg. J. R. Coll. Surg. Edinb. Irel.* **21**, e305–e315 (2023).
- Waller, E. et al. Prehabilitation with wearables versus standard of care before major abdominal cancer surgery: A randomised controlled pilot study (trial registration: NCT04047524). *Surg. Endosc.* **36**, 1008–1017 (2022).
- Prep4Surg. *Prep4Surg* <https://www.prep4surg.com/> (2025).
- Development of an interactive app for structured prehabilitation before major surgery – PROTEGO MAXIMA | Else Kröner-Fresenius-Stiftung. <https://www.ekfs.de/en/scientific-funding/currently-funded-projects/development-interactive-app>
- A pilot trial to analyze the usability, validity and safety of an interventional health app program (Patronus prehab app) for the structured prehabilitation of patients before major surgical interventions: PROTEGO MAXIMA. <https://drks.de/search/en/trial/DRKS00026985>
- Capreolos debuts 'prehab' app for people facing surgery. *pharmaphorum* <https://pharmaphorum.com/news/capreolos-debuts-prehab-app-people-facing-surgery> (2023).
- Oudhoff, J., Timmermans, D., Knol, D., Bijnen, A. & van der Wal, G. Waiting for elective general surgery: impact on health related quality of life and psychosocial consequences. *BMC Public Health* **7**, 164 (2007).
- Bernard, C. et al. Exploring patient-reported barriers to advance care planning in family practice. *BMC Fam. Pract.* **21**, 94 (2020).
- Low, C. A. et al. Digital biomarkers of symptom burden self-reported by perioperative patients undergoing pancreatic surgery: Prospective longitudinal study. *JMIR Cancer* **7**, e27975 (2021).
- Healey, M. A., Shackford, S. R., Osler, T. M., Rogers, F. B. & Burns, E. Complications in surgical patients. *Arch. Surg. Chic. Ill 1960* **137**, 611–617 (2002).
- Tyler, S. et al. Use of artificial intelligence in triage in hospital emergency departments: A scoping review. *Cureus* **16**, e59906 (2024).
- How artificial intelligence is helping Toronto hospitals predict patient outcomes and save lives. *Gemini* <https://www.geminimedical.ca/post/how-artificial-intelligence-is-helping-toronto-hospitals-predict-patient-outcomes-and-save-lives> (2022).
- Jeon, A. & Nagappan, L. Postoperative complications and disposition for vascular surgery. *Anaesth. Intensive Care* **51**, 193–198 (2023).
- Arora, S. et al. The impact of stress on surgical performance: a systematic review of the literature. *Surgery* **147**, 318–330.e1–6 (2010).
- Morris, M. S., Deierhoi, R. J., Richman, J. S., Altom, L. K. & Hawn, M. T. The relationship between timing of surgical complications and hospital readmission. *JAMA Surg.* **149**, 348–354 (2014).
- Soon, S., Svavarsdottir, H., Downey, C. & Jayne, D. G. Wearable devices for remote vital signs monitoring in the outpatient setting: An overview of the field. *BMJ Innov.* **6**, 55–71 (2020).
- Billig, J. I., Sears, E. D., Travis, B. N. & Waljee, J. F. Patient-reported outcomes: understanding surgical efficacy and quality from the patient's perspective. *Ann. Surg. Oncol.* **27**, 56–64 (2020).
- Kolk, M. et al. Behavioural digital biomarkers enable real-time monitoring of patient-reported outcomes: a substudy of the multicenter, prospective observational SafeHeart study. *Eur. Heart J. Qual. Care Clin. Outcomes* qcad069 <https://doi.org/10.1093/ehjqcco/qcad069> (2023).
- Sjöding, M. W., Dickson, R. P., Iwashyna, T. J., Gay, S. E. & Valley, T. S. Racial bias in pulse oximetry measurement. *N. Engl. J. Med.* **383**, 2477–2478 (2020).
- Kruse, C. S., Frederick, B., Jacobson, T. & Monticone, D. K. Cybersecurity in healthcare: A systematic review of modern threats and trends. *Technol. Health Care Off. J. Eur. Soc. Eng. Med.* **25**, 1–10 (2017).
- Safi, S., Thiessen, T. & Schmalz, K. J. Acceptance and resistance of new digital technologies in medicine: Qualitative study. *JMIR Res. Protoc.* **7**, e11072 (2018).
- Daniore, P. et al. From wearable sensor data to digital biomarker development: Ten lessons learned and a framework proposal. *Npj Digit. Med.* **7**, 1–8 (2024).

Author contributions

B.L., A.M., and D.P. developed the concept, wrote the manuscript, and amended the final version.

Competing interests

The authors declare no competing interests. D.P. is a News & Views editor at npj Digital Medicine and played no role in the internal review or decision to publish this News & Views article.

Additional information

Correspondence and requests for materials should be addressed to Dylan Powell.

Reprints and permissions information is available at <http://www.nature.com/reprints>

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025